



UNI - TEC Fibreglass Scaffolds



## ELECTRICITY

- ✓ **Completely in UNI-TEC fibreglass**
- ✓ **Insulated**, tested by:
  - Stuttgart University
  - MANWEB Scottish Electrical Company
- ✓ **Dielectric**, tested by:
  - Westinghouse U.S.A.
- ✓ **Safe** even if working near electrical lines
- ✓ **Practical**
- ✓ **Light**
- ✓ **Easy to assemble**
- ✓ **Modular**
- ✓ **Safety colour**



Maintenance in an electrical power plant



Assembly and maintenance of neon lights

NEW



IDEAL for:

- ✓ ELECTRICAL COMPANIES
- ✓ MUNICIPAL INSTITUTIONS
- ✓ PRIVATE COMPANIES
- ✓ TELEPHONE COMPANIES
- ✓ RAIL COMPANIES
- ✓ MAINTENANCE
- ✓ INSTALLATION
- ✓ THEATRES, CINEMAS
- ✓ CHEMICAL INDUSTRIES

**DIMENSIONS**

Width	0,73	1,37 m	29"	54"		
Length	1,82	2,44	3,05 m	6'	8'	10'

Several heights available according to the norms

- We manufacture structures to measure



Inside of an electrical power plant




UNI-TEC fibreglass platform



Inside maintenance with working system

**CERTIFICATIONS**



N. 959/94

**ACCORDING TO**

UNI-HD 1004 DIN 4422

LOAD CAPACITY 2.0 kN/m<sup>2</sup>

CLASS 3

DISTRIBUTED BY:

